

Trial Pit Log

TrialPit No
TP01
Sheet 1 of 1

Project Name: Forres Academy

Project No.
GA 15176

Co-ords: E: 303681.17 N: 858565.47
Level: 12.02

Date
21/11/2023

Location: Burdsyard Road

Dimensions (m): 2.00

Scale
1:10

Client: Goodson Associates

Depth (m):
1.80

0.60

Plant Used
Terrex TBL 890

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description
	Depth	Type	Results				
				0.30	11.72		MADE GROUND: Grass over dark brown sandy slightly clayey gravelly topsoil with rootlet and rare ceramaics. Sand is fine to coarse. Gravel is subangular to subrounded of mixed lithologies including sandstone.
	0.50 0.50	ES CBR	3%	0.55	11.47		MADE GROUND: Dark brown sandy slightly clayey relict topsoil with rootlets and rare cobble content. Sand is fine to coarse. Gravel is subangular to subrounded of sandstone. Cobbles are subrounded to rounded of sandstone and conglomerate.
	1.20	ES		1.80	10.22		Greyish brown fine to course SAND and GRAVEL with medium cobble content. Gravel is subangular to subrounded of various lithologies including sandstone and conglomerate. Cobbles are subrounded to rounded of sandstone and conglomerate.
							End of Pit at 1.80m

Remarks: Machine excavated trial pit to a depth of 1.80m to conduct BRE 365 Soakaway. Heavy water ingress at 1.50m. Trial pit wetting to base. Trial pit backfilled with arisings in order of excavation.

Logged By:


Checked By:

SM



PRELIM

Stability: Unstable. Trial pit side walls caving from 1.50m bgl.



Trial Pit Log

TrialPit No
TP02
Sheet 1 of 1

Project Name: Forres Academy

Project No.
GA 15176

Co-ords: E: 303719.73 N: 858584.34
Level: 12.03

Date
21/11/2023

Location: Burdsyard Road

Dimensions (m): 2.00

Scale
1:10

Client: Goodson Associates

Depth (m):
1.80



Plant Used
Terrex TBL 890

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description
	Depth	Type	Results				
				0.30	11.73		MADE GROUND: Grass over dark brown sandy slightly clayey gravelly topsoil with rootlets and rare ceramic fragments. Sand is fine to coarse. Gravel is subangular to subrounded of mixed lithologies including sandstone.
	0.40	ES					MADE GROUND: Dark brown sandy gravelly relict buried topsoil with rootlets glass and ceramic fragments and rare bottles. Sand is fine to coarse. Gravel is fine to coarse subangular to subrounded of sandstone.
	0.50	CBR	3%	0.50	11.53		Greyish brown fine to coarse SAND and GRAVEL with medium cobble content. Gravel is subangular to subrounded of various lithologies including sandstone and conglomerate. Cobbles are subrounded to rounded of sandstone and conglomerate.
	1.30	ES					
				1.80	10.23		End of Pit at 1.80m

Remarks: Machine excavated trial pit to a depth of 1.80m to conduct BRE 365 Soakaway. Moderate water ingress noted at 1.30m. Trial pit wetting to base. Trial pit backfilled with arisings in order of excavation.

Stability: Unstable. Trial pit side walls collapsing from 1.30m bgl.

Logged By:	Checked By:
SM	



PRELIM