

Environmental Monitoring Report – Falconer Museum & Store

1st May 2025

06/02/ - 01/05/2025 data

Handheld thermo-hygrometer weekly readings


Museum Ground Floor (GF)	19.3°c	51.8%
Museum mezzanine	19.3°c	50.5%

Museum Archaeological Cabinet –	18.2°c	45.8%
off data logger		

Museum store GF	18.6°c	50.2%
Museum store 1 st Floor	19.1°c	47.4%

Data logger download data


Museum



Museum data

Museum	Temp °c	Relative Humidity %
Min	16.3°c	36.0%
Мах	21.2°c	54.9%
Average	18.6°c	43.5%

Museum_Sword cab



Museum Archaeological Cabinet	Temp °c	Relative Humidity %
Min	14.9°c	45.0%
Max	20.5°c	49.3%
Average	17.5°c	46.1%




Museum Store GF	Temp °c	Relative Humidity %
Min	14.2°c	47.2%
Max	18.2°c	57.5%
Average	16.0°c	52.0%

Museum Store GF

Museum Store 1st Floor

Museum Store Stack 6



Unfortunately the 1st Floor store data logger faulted, the readings on the graph are no way accurate, the same for the dates. It maybe due to low battery, which the data logger highlighted, the batteries have been changed.

The GF store is 50%rh, which is the store with the usual high readings, the handheld thermohygrometer confirmed my suspicions by taking a reading of 47.4% relative humidity in the 1st floor store.

The data logger has been reset to log data and has reverted back to todays date, so hopefully it was only a low battery. I will send a spare data logger for Kirsty to position, so we receive some data for Junes report.

Traps Minimal insects; Falconer Museum Mezzanine 2 slaters

GF - 0 insects

Falconer Room Small beetle to ID, nothing to be concerned about

Museum store GF & 1st F 0 insects 0 moths

Richard Aitken ACR High Life Highland Conservation Service High Life Highland & Registration Centre