

SG

SUPPLEMENTARY GUIDANCE



the **moray** council

CLIMATE CHANGE



PROPOSED MORAY LOCAL DEVELOPMENT PLAN

Contents

Introduction	1
How to use this Document	2
Site Layout and Design	3
Energy Efficiency and Renewables	4
Renewable Technologies	6
Built Heritage	8
Green Infrastructure and Biodiversity	9
Active Travel	11
Sustainable Construction	12
Change Adaptation	13
Sustainable Urban Drainage	14
Appendix1 - Outline of Key Renewable Technologies	15
Appendix 2 - Overview of what to aim for	17
Appendix 3 - Sustainability Statement Examples	19

Introduction

The Climate Change (Scotland) Act 2009 introduced ambitious targets to reduce Scotland's greenhouse gas emissions by at least 80% by 2050 with an interim target of a 42% reduction by 2020. Achieving these targets requires action to adapt the built environment, to reduce energy and other resource requirements, to reduce the need to travel and to provide for and promote active travel and travel by public transport. New development should also be planned around maximising the opportunities to harness renewable energy on a local and community scale.

Role and Purpose of Document

Scottish Planning Policy (SPP) identifies the important role planning has in supporting the achievement of sustainable development through its influence on location, layout and design of new development.

PP2 – Climate Change

In order to contribute to reducing greenhouse gas emissions, developments of 10 or more houses and buildings in excess of 500 sq m should address the following:

- Be in sustainable locations that make efficient use of land and infrastructure,
- Optimise accessibility to active travel options and public transport,
- Create quality open spaces, landscaped areas and green wedges that are well connected,
- Utilise sustainable construction techniques and materials and encourage energy efficiency through the orientation and design of buildings,
- Install low and zero carbon generating technologies,
- Prevent further development that would be at risk of flooding or coastal erosion,
- Where practical, meet heat and energy requirements through decentralised and local renewable or low carbon sources of heat and power.

Proposals must be supported by a Sustainability Statement that sets out how the above objectives have been addressed within the development.

How to Use this Document

The main aim of this document is to support the transition to a low carbon future by reducing greenhouse gas emissions, using resources efficiently and securing development that is resilient to the impacts of climate change. Developers are required to demonstrate through a sustainability statement how their development has been designed to reduce greenhouse gas emissions and adapt to the impacts of climate change.

This guidance provides an overview of the main issues that need to be taken into consideration. A sustainability statement template can be found in Appendix 3 which sets out requirements and two examples have been prepared showing the level of information needed. The level of detail required will be commensurate to the scale of the development with modest small scale development providing basic information and large scale development providing more detailed analysis of how sustainability has been embedded into the development.

It is expected that a sustainability statement will be provided at the time of submission of any planning application. The sustainability requirements set out in this guidance should have been taken into account in the early design stage of the development. Proposals that do not demonstrate compliance with this guidance may be REFUSED planning permission.



Site Layout and Design



The Moray Local Development Plan has set a spatial strategy that seeks to direct development to existing settlements in Elgin, Forres, Buckie, Keith and Lossiemouth as the main development areas. This is seen as the most sustainable model, supporting growth in key centres and reducing the need to travel to work, school, shops and services. It is a priority that local people live in an attractive, natural and built environment that is enhanced for future generations. The promotion of higher density development in Moray's first tier settlements can and make better use of available land and infrastructure while providing better quality residential areas.

This approach should be accompanied by good design to avoid over development and instead promote high design standards and provision of quality, well connected open space. The Council will promote the creation of landscape frameworks and masterplans and the inclusion of landscape at the earliest stages of planning and development feasibility. Densities should be varied to take account of local conditions, site characteristics and tenure of development. Where possible brownfield sites should be developed in preference to greenfield sites. The development of brownfield land is more sustainable as it reduces demand for greenfield land, enhances the viability of public transport and maximises the use of existing infrastructure.

What to aim for


- Development of brownfield sites
- Proximity to services and employment
- Connectivity to public transport network
- Creation of quality open spaces
- Appropriate density levels to make efficient use of land while reflecting site conditions

Sources of further information

Creating Places <http://www.scotland.gov.uk/Resource/0042/00425496.pdf>

Architecture and Design Scotland <http://www.ads.org.uk/sust>

Energy Efficiency and Renewables




All developments should be designed in accordance with the energy hierarchy. Reducing energy demand is a priority followed by energy efficiency measures and then the use of renewable technologies. The most cost effective ways to minimise energy demand are through good design, high levels of insulation and air tightness.

There are a number of energy efficiency measures and renewable technologies that can be used and these are set out in the table below:

Passive Energy efficiency measures	Operational energy efficiency measures	Renewable technologies	Emerging technological measures
Orientation	Heating systems	Photovoltaic	Hydrogen fuel cells
Day lighting	Insulation	Solar water heating	Anaerobic digestion
Natural Ventilation	Lighting and Appliances	Micro wind	
Air Tightness	Glazing	Micro hydro	
Using natural features of site for shelter etc	Building materials	Biomass	
	Mechanical Ventilation /Heat recovery	Ground and air source heat pumps	

Development Layout – The orientation of a building has a significant impact on the amount of passive solar gain. Passive solar design uses the sun's energy for heating living spaces. The key considerations regarding passive design are determined by the characteristics of the building's site. The most effective designs will be based on an understanding of a site's wind patterns, terrain, vegetation and solar exposure.



Renewable Technologies



Renewable energy is any source of energy that effectively replenishes itself and is inexhaustible. Currently most energy comes from finite and unsustainable fuel sources such as natural gas, coal and nuclear power. There needs to be a transition away from the reliance on finite fossil fuels to harnessing renewable energy sources. The appropriate use of renewable technologies is promoted within the Moray Local Development Plan. It is important to consider the appropriate low or zero carbon generating technology to fit the use, type and scale of development, in order to achieve the greatest reduction in energy consumption and carbon emissions. Larger developments may be able to make use of decentralised and local renewable or low carbon sources of heat and power which can yield higher emission reductions than the installation of LZCGT on site. The opportunities for utilising this type of heat and power should be explored in the preparation of masterplans.

The table in Appendix 1 provides some basic information in relation to various technologies that should be taken into account at the outset when designing a development.



Installation of Low and Zero Carbon Generating Technologies in New Development

In order to comply with Section 72 of the Climate Change (Scotland) Act 2009, Moray Local Development Plan includes a policy to reduce the carbon dioxide emissions relating to new development through the installation of low and zero carbon technologies (LZCGT).

Policy ER2: Carbon Emission Reduction in New Development

New buildings should include low and zero carbon generating technologies (LZCGT) to offset a proportion of emissions arising from the use of the building. Initially proposals are required to meet a minimum 2% carbon dioxide emission abatement rising to 3% in 2016 and 5% in 2020. Applications will only be exempt from the above targets where developers are able to demonstrate that technical constraints exist.

A technical guidance note has been prepared that explains the implementation of the policy and information required to support proposals.

What to aim for

- Development is designed in accordance with the energy hierarchy.
- Insulation and air tightness in buildings should be maximised.
- Passive solar design principles incorporated into development
- Installation on site renewable technologies
- % reduction in carbon dioxide emissions

Sources of further information

Scottish Government Website - <http://www.scotland.gov.uk/Topics/Built-Environment/planning/National-Planning-Policy/themes/renewables>

Scottish Building Standards Website - <http://www.scotland.gov.uk/Topics/Built-Environment/Building/Building-standards/techbooks/Sustainability>

Built Heritage

Traditional built structures need to improve energy efficiency and reduce fuel consumption. There are things that can be done to improve their performance. It is important to understand how traditional buildings were designed to work. Older properties especially historic buildings need to “breathe” allowing moisture



to escape preventing damp. Alterations and installations need to be properly considered to ensure that the asset is not adversely affected. Modern materials such as concrete or plastic are often inappropriate for use in older houses, harming aesthetics and durability.

Many historic buildings or places lend themselves well to some form of micro-renewable energy generation. Different types of micro-renewable technology suit different locations and sometimes more than one type can be used in combination. The energy efficiency of the fabric should be optimised before considering installation of micro-renewable technology. The Moray Local Development Plan has a policy to promote the sensitive introduction of microrenewables.

Policy BE4 - Micro-renewables on Listed Buildings and in buildings in Conservation Areas

Alterations and proposals involving the sensitive introduction of energy efficiency measures and/or micro renewable installations to Listed Building or within their curtilage and buildings in Conservation Areas will be supported, where the proposals ensure that the character of the Listed Building, Conservation Area and their setting are preserved or enhanced.

What to aim for

- Improve the performance of traditional buildings in a way that is sympathetic to their character and construction type.
- Micro-renewable installations must be designed be planned carefully to maintain the historic character of each site and to make the best use of available energy sources.

Sources of further information

<http://www.historic-scotland.gov.uk/microrenewables.pdf>

<http://conservation.historic-scotland.gov.uk/publication-detail.htm?pubid=6947>

Green Infrastructure and Biodiversity

Examples of green infrastructure are parks, open spaces, playing fields, woodlands, wetlands, road verges, allotments and private gardens. Green infrastructure provides important functions such as shelter, access and travel, sustainable drainage, pollution mitigation and food production and when linked together these components form green corridors. Green infrastructure can create pleasant places for fun, play and relaxation. Landscaping and open space are also highlighted within the Urban Design Guide as essential components for consideration when designing new development.

New developments should link into the wider green network improving the physical connections between places. Developers should think about how the development can link to existing green spaces and look beyond the site boundaries and ownership. There are a number of benefits to integrating green infrastructure in terms of improving the image of a place, reducing emissions by encouraging short journeys, acting as sustainable drainage systems and absorbing heavy rainfall to avoid flooding and creating green spaces. Allotments, community gardens and private gardens can provide access to fruit and vegetables and lower food miles. There is a growing demand for allotments.



Importance of Green Infrastructure and Biodiversity is also set out in PP3 Placemaking

PP3 – Placemaking

All development must incorporate the key principles of Designing Streets, Creating Places and the Council's supplementary planning guidance on Urban Design.

Developments should;

- Create places with character, identity and a sense of arrival
- Create safe and pleasant places, which have been designed to reduce the fear of crime and anti social behaviour
- Be well connected, walkable neighbourhoods which are easy to move around and designed to encourage social interaction and healthier lifestyles
- Including buildings and open spaces of high standards of design and incorporate sustainable design and construction principles
- Have street which are designed to consider pedestrians first and motor vehicles last and minimise the visual impact of parked cars of the street scene
- Ensure buildings front onto streets with public fronts and private backs and have clearly defined public and private space
- Integrate natural landscape features and provide new green spaces which connect to green and blue networks and promote biodiversity

What to aim for

The sustainability statement should demonstrate how opportunities have sought to enhance the developments biodiversity value through the retention/inclusion of green infrastructure. This can be achieved by undertaking the following.

- Retain any existing trees and green spaces on site
- Design green infrastructure into every development
- Plant native species
- Create green spaces on flat roofs
- Connect developed green areas to surrounding green areas

Sources of further information

Green Infrastructure – Design and Place Making
www.scotland.gov.uk/publications/2011/11/04140525

Green Networks and Development Planning
www.snh.gov.uk/planning_and_development/approach/snh_devt_planning

Active Travel

New developments should aim to minimise the need for occupants to use their own transport. New housing developments should do this by linking in with existing public transport networks and incorporating provision for cyclists and pedestrians. Where necessary greenfield developments will be expected to create new or enhance public transport corridors. Paths and cycle ways can provide safe off road routes for walkers, joggers and cyclists away from vehicles and emissions. The development of, and enhancement of, a walkable neighbourhood has the potential to reduce the significant greenhouse gas emissions related to everyday journeys. The Council has adopted a number of Active Travel Plans which promote non vehicular traffic around settlements.

What to aim for

- Creation of safe off road routes linking to existing walking/cycling networks.
- Where appropriate prepare travel plans.

Sources of further information

Cycling By Design

<http://www.transportscotland.gov.uk/strategy-and-research/publications-and-consultations/cycling-by-design>

Essential Guide to Travel Planning

<http://ways2work.bitc.org.uk/pool/resources/essential-guide-to-travel-planning-final-mar-08.pdf>



Resource Efficiency



New development should promote resource efficiency.

Materials – Buildings should be designed to use materials effectively and therefore use less material. The materials chosen must be robust, low maintenance and long lasting to suit the location and intended use. Care should also be given to sourcing materials sustainably and there are numerous certification schemes available for a variety of different materials. Developers are encouraged to utilise locally sourced and produced materials in an effort to reduce energy use associated with transportation. Using building elements created off-site rather than built on-site can also reduce carbon emissions.

Water – Climate change could lead to increased periods of drought and it will become more important to reduce water demand and use water more efficiently. Developers should design water efficient devices into their development to help reduce consumption. There are many options including water efficient appliances, water butts and rainwater harvesting.

Waste – Design & Construction from individual components to the entire project should aim to produce Zero Waste to landfill. Good site management will wherever possible ensure that there is the minimum of unavoidable waste which should be reused or recycled on site. Other useful material that cannot be used on site should be segregated on site for recycling and local outlets should be used for reprocessing. For large scale developments where a Site Waste Management Plan is required it should be adhered to throughout the entire construction process linking in with Policy EP2 – Recycling Facilities

What to aim for

- Promoting the use of sustainably sourced/low impact materials.
- Reducing waste through the reuse and recycling of demolition and construction waste and the incorporation of accessible recycling facilities within new development.
- Design in water efficient measures.

Sources of further information

British Research Establishment Website www.bre.co.uk

Climate Change Adaptation

To adapt to climate change, development will need to be resilient to more frequent extreme weather events, rising temperatures and changes in rainfall. Parts of Moray are susceptible to flooding and new development should be directed wherever possible to areas with the lowest risk of flooding and coastal erosion. Taking into account the impacts of climate change, buildings should be designed to be as adaptable as possible. Buildings need to be fit for purpose and building performance will be challenged by a changing climate, needing to cope with more extreme weather events. The use of a building may need to change over time and therefore layouts should be designed to be flexible and lend themselves to conversion from one use to another.

What to aim for

- Development should be avoided in areas that are vulnerable to the effects of climate change including areas at significant risk from flooding, landslip and coastal erosion.
- Demonstrate how the proposed development will be adaptable to potential future changes in use or occupancy.

Sources of further information

Adaption Scotland website

<http://www.adaptationscotland.org.uk/1/1/0/Home.aspx>



Sustainable Urban Drainage

Climate change means that intense and /or prolonged rainfall and storms are more likely to occur, and this could result in existing drainage failing to cope with the volume of surface water. Policy EP 5 – Surface Water Drainage: Sustainable Urban Drainage Systems (SUDS) states that all sites should be drained by a sustainable drainage system.

The term Sustainable Urban Drainage Systems covers the whole range of sustainable approaches to surface water drainage management. SUDS aim to mimic natural drainage processes and remove pollutants from run-off at source, and comprise a wide range of techniques, including permeable paving, swales, detention basins, filter strips, filter drains, infiltration systems, bio-retention, ponds and wetlands. SUDS differ from conventional drainage methods because they manage runoff flow rates, protect or enhance the water quality, are sympathetic to the environmental setting and can provide a habitat for wildlife.

The Council will prepare supplementary guidance on surface water drainage and flooding.

What to aim for

- Maximise site specific opportunities using water management measures such as SUDS.
- Measures to consider include rainwater harvesting, permeable paving, ponds and swales, green roofs and roof gardens.
- Proposals should be integrated with the landscaping for the development.
- Where a development is adjacent to watercourse buffer strips and tree planting will be required to reduce run off and sedimentation that can impact on watercourses.

Sources of further information

SEPA

http://www.sepa.org.uk/water/water_regulation/regimes/pollution_control/suds.aspx

Scottish Water <http://www.scottishwater.co.uk/business/our-services/new-connections/sewers-for-scotland-and-suds>



Appendix 1

Outline of Key Renewable Technologies

Technology	Application	Considerations
Heat Pumps (ground and air) Generates heat	Utilises heat from earth or air that is transferred via pipes to buildings	Very effective heat generation works well with underfloor heating but can work with radiators. Grounds source has vertical and horizontal application so can be used in confined urban settings.
Biomass Generates heat	Biomass boilers use chipped or pelleted wood products to supply heat. Technology has been successfully applied in various buildings from schools to houses.	Various options available depending on budget. Relatively low maintenance. Need to source good dry fuel products as this will affect efficiency and performance of boiler. Potential for district heating systems Eligible for Renewable heat Incentive (RHI)
Solar Thermal Heats hot water	Harnessing the solar energy through flat plates collectors or evacuated tubes to heat water.	To optimise performance needs to be located on a south facing orientation and avoid shading. Beneficial where there is a high demand for hot water (i.e. bed and breakfast, leisure centre). Can be used in domestic setting and result in boiler being switched off April to September.



Wind Turbines Generates electricity	Conversion of wind energy through turbines to create electricity. Free standing turbines can generate a good amount of energy.	Depending on the scale of turbine can be expensive. Needs to be sited on area with good wind resource and free of obstructions (buildings, trees etc). Difficult to apply in an urban setting as ideally need large area of open space free of obstructions. Eligible for Feed in Tariff.
Solar Photovoltaic Generate electricity	Photovoltaic panels convert solar radiation into electricity.	Simple reliable technology with no moving parts. Eligible for Feed in Tariffs To optimise performance needs to be located on south facing orientation and avoid shading.
CHP Generates heat and electricity	Simultaneously generates heat and power in a single process.	Very efficient and can be fitted to small and large scale buildings.
Hydro	Production of electricity through the use of gravitational force of falling or flowing water.	Very site specific and requires expert advice. Needs to be customised to location. Reliable and effective technology in right location.



Appendix 2

Overview of what to aim for

Resource Efficiency

What to aim for

- Development of brownfield sites
- Proximity to services and employment
- Connectivity to public transport network
- Creation of quality open spaces
- Appropriate density levels to make efficient use of land while reflecting site conditions

Energy Efficiency and Renewables

What to aim for

- Development is designed in accordance with the energy hierarchy.
- Insulation and air tightness in buildings should be maximised.
- Passive solar design principles incorporated into development
- Installation of on site renewable technologies

Green Infrastructure

What to aim for

- Retain any existing trees and green spaces on site
- Design green infrastructure into every development
- Plant native species
- Create green spaces on flat roofs
- Connect developed green areas to surrounding green areas



Active Travel

What to aim for

- Creation of safe off road routes linking to existing walking/cycling networks.
- Where appropriate prepare travel plans.

Sustainable Construction Techniques and Materials

What to aim for

- Promoting the use of sustainably sourced/low impact materials.
- Reducing waste through the reuse and recycling of demolition and construction waste and the incorporation of accessible recycling facilities within new development.
- Design in water efficient measures.



Climate Change Adaptation

What to aim for

- Development should be avoided in areas that are vulnerable to the effects of climate change including areas at significant risk from flooding, landslip and coastal erosion.
- Demonstrate how the proposed development will be adaptable to potential future changes in use or occupancy.

Flooding and Surface Water Drainage

What to aim for

- Maximise site specific opportunities using water management measures such as SUDS.
- Measures to consider include rainwater harvesting, permeable paving, ponds and swales, green roofs and roof gardens.
- Proposals should be integrated with the landscaping for the development.
- Where a development is adjacent to watercourse buffer strips and tree planting will be required to reduce run off and sedimentation that can impact on water.

Appendix 3

Sustainability Statement Examples

PP2 – Climate Change

In order to contribute to reducing greenhouse gas emissions, developments of 10 or more houses and buildings in excess of 500 sq m should address the following:

- Be in sustainable locations that make efficient use of land and infrastructure,
- Optimise accessibility to active travel options and public transport,
- Create quality open spaces, landscaped areas and green wedges that are well connected,
- Utilise sustainable construction techniques and materials and encourage energy efficiency through the orientation and design of buildings,
- Install low and zero carbon generating technologies,
- Prevent further development that would be at risk of flooding or coastal erosion,
- Where practical, meet heat and energy requirements through decentralised and local renewable or low carbon sources of heat and power.

Proposals must be supported by a Sustainability Statement that sets out how the above objectives have been addressed within the development.

Sustainability Checklist

How to use the checklist

A checklist is required for residential development of 10 or more houses and non domestic buildings in excess of 500 sq m.

Developers should complete the checklist which will be used as the basis of a sustainability statement to ensure the proposed development meets the essential criteria identified within this guidance and compliance with PP2. The evidence section of the checklist should explain what consideration has been given to specific issues and how this has been integrated into the proposal.

In exceptional circumstances where the essential criteria cannot be met a reasoned justification for this should be set out. In these cases it should be demonstrated how this has been compensated for in other aspects of the development. For example where there is a deficiency in one area a proposal could be designed to go beyond the essential criteria and meet desirable outcomes elsewhere.

The Council intends to take a balanced view of the development of the site and on this basis it will have to be demonstrated that all efforts have been made to address climate change within the proposals.

Developers are advised to make early contact with the Planning Authority to discuss the proposal and ensure all the relevant issues are identified and addressed within the development.

Checklist Proforma

Site Layout and Design

Essential	Desirable	Policy Cross Reference
<p>Minimise energy demand through orientation and passive solar gain</p> <p>Maximise the thermal performance of the building. For example through the use of insulation, thermal mass, shelter and glazing</p> <p>Installation of efficient heating and lighting systems and controls to lower energy consumption.</p> <p>Utilisation of natural or mechanical ventilation.</p>	Heat recovery.	

Evidence

Renewables

Essential	Desirable	Policy Cross Reference
Low and zero carbon equipment is installed to meet targets set out within policy ER2 – Carbon Emission Reductions	<p>The target for carbon emission reduction through low and zero carbon equipment is exceeded.</p> <p>Decentralised community renewable energy proposals are taken forward (i.e. district heating systems).</p>	ER2 – Carbon Emission Reductions

Evidence

Green Infrastructure

Essential	Desirable	Policy Cross Reference
Open Space is provided to the standards set out in Policy E5 – Open Spaces.	Creation of green spaces on roofs.	Policy E5 – Open Spaces
Proposals contribute to biodiversity on the site through habitat creation, new native tree and shrub planting.	Provide opportunities for food cultivation i.e. allotments/ community orchards	Future SPG on Open Space
Existing trees and green spaces on site are retained and any trees lost are replaced.		Policy E4 – Trees and Development
Where possible connection to offsite blue and green networks.		Trees and Development SPG
		ER3 – Development in Woodlands

Evidence

Active Travel

Essential	Desirable	Policy Cross Reference
Explain what has been done to minimise car use. (The practicality of use of public transport in more remote rural areas will be taken into account however applicants should consider innovative solutions to access public transport).	Design in facilities for bicycles and electric vehicles including secure bike parking and electric charging points.	Policy T2 - Provision of Access
Provide safe off road routes linking to existing walking and cycling networks (i.e. connectivity to core paths network).		

Evidence

Resource Efficiency

Essential	Desirable	Policy Cross Reference
<p>WATER</p> <p>Minimising water consumption and maximising water recycling (i.e. water efficient appliances)</p>	<p>Greywater harvesting, green roofs and roof gardens</p>	
<p>WASTE</p> <p>Minimising waste and promote recycling, during construction. Large scale applications should provide site waste management plans.</p> <p>Identification of suitable space for storage of waste and recyclables on site once buildings are occupied.</p>		<p>EP2 – Recycling Facilities</p>
<p>MATERIALS</p> <p>Use sustainable materials whenever possible and make the most sustainable use of other materials.</p> <p>Reuse materials from derelict buildings such as stone and slate within development.</p>	<p>Use locally sourced materials to minimise environmental cost of transportation and bring benefit to the local economy</p> <p>Maximise the use of materials derived from recycled materials and reused content in products and materials used.</p>	<p>Using Local Timber – Contributing to Sustainable Construction. Guidance for North of Scotland</p>
<p>OTHER</p> <p>Existing redundant or derelict buildings on site are converted or restored where possible. If not justification should be provided.</p> <p>Avoid unnecessary disturbance to peat, soils and vegetation.</p>	<p>Certification of products (i.e. timber certified by the Forest Stewardship Council FSC)</p>	

Evidence

Climate Change Adaptation

Essential	Desirable	Policy Cross Reference
Designing buildings flexibly from the outset to accommodate a variety of possible future uses (i.e. lends itself to future extension, allows for homeworking).		Policy ER7 – Soil Resources

Evidence

Surface Water Management and Flooding

Essential	Desirable	Policy Cross Reference
Development is avoided in areas that are vulnerable to flooding. Flood resilience measures are incorporated where required.	Creation ponds and wetlands within developments.	EP5 – Surface water Drainage: Sustainable Urban Drainage Systems (SUDS).
Avoid the use of large areas of impermeable hard standing.		EP7 – Control of Development in Flood Risk Areas
Integration of design and SUDS into the development.		

Evidence

Sustainability Checklist 10 House Example

Site Layout and Design

Essential	Desirable	Policy Cross Reference
<p>Minimise energy demand through orientation and passive solar gain</p> <p>Maximise the thermal performance of the building. For example through the use of insulation, thermal mass, shelter and glazing</p> <p>Installation of efficient heating and lighting systems and controls to lower energy consumption.</p> <p>Utilisation of natural or mechanical ventilation.</p>	Heat recovery.	

Evidence

The layout of the plots has been designed to maximise the opportunities for solar passive gain and ensures well used rooms within the building benefit from the most daylight.

The thermal efficiency of the houses has been improved by providing insulation levels in excess of the current building standards. The design of the houses has sought to minimise thermal bridging and maximise air tightness.

High efficiency condensing boilers have been installed and outside drying areas have been provided within private garden areas.

Renewables

Essential	Desirable	Policy Cross Reference
Low and zero carbon equipment is installed to meet targets set out within policy ER2 – Carbon Emission Reductions	<p>The target for carbon emission reduction through low and zero carbon equipment is exceeded.</p> <p>Decentralised community renewable energy proposals are taken forward (i.e. district heating systems).</p>	ER2 – Carbon Emission Reductions

Evidence

Solar thermal panels are to be installed to heat water and this will exceed the % reduction target set out in policy ER2 – Carbon Emission Reductions. See energy statement for detailed calculations.

Green Infrastructure

Essential	Desirable	Policy Cross Reference
<p>Open Space is provided to the standards set out in Policy E5 – Open Spaces.</p> <p>Proposals contribute to biodiversity on the site through habitat creation, new native tree and shrub planting.</p> <p>Existing trees and green spaces on site are retained and any trees lost are replaced.</p> <p>Where possible connection to offsite blue and green networks.</p>	<p>Creation of green spaces on roofs.</p> <p>Provide opportunities for food cultivation i.e. allotments/ community orchards</p>	<p>Policy E5 – Open Spaces</p> <p>Future SPG on Open Space</p> <p>Policy E4 – Trees and Development</p> <p>Trees and Development SPG</p> <p>ER3 – Development in Woodlands</p>

Evidence

The existing trees on the site will be retained and supplemented by avenue planting along the frontage of the site as well as additional boundary planting. Open space provision of 15% is identified in the form of a central green space within the development overlooked by all houses.

Active Travel

Essential	Desirable	Policy Cross Reference
<p>Explain what has been done to minimise car use. (The practicality of use of public transport in more remote rural areas will be taken into account however applicants should consider innovative solutions to access public transport).</p> <p>Provide safe off road routes linking to existing walking and cycling networks (i.e. connectivity to core paths network).</p>	<p>Design in facilities for bicycles and electric vehicles including secure bike parking and electric charging points.</p>	<p>Policy T2 - Provision of Access</p>

Evidence

Links are provided into existing pedestrian and cycle network including a designated core path. The development is within walking distance of the town centre and public transport services.

Resource Efficiency

Essential	Desirable	Policy Cross Reference
<p>WATER</p> <p>Minimising water consumption and maximising water recycling (i.e. water efficient appliances)</p>	<p>Rainwater Harvesting</p> <p>Greywater harvesting,</p> <p>Green roofs and roof gardens</p>	
<p>WASTE</p> <p>Minimising waste and promote recycling, during construction. Large scale applications should provide site waste management plans.</p> <p>Identification of suitable space for storage of waste and recyclables on site once buildings are occupied.</p>		<p>EP2 – Recycling Facilities</p>
<p>MATERIALS</p> <p>Use sustainable materials whenever possible and make the most sustainable use of other materials.</p> <p>Reuse materials from derelict buildings such as stone and slate within development.</p>	<p>Use locally sourced materials to minimise environmental cost of transportation and bring benefit to the local economy</p>	<p>Using Local Timber – Contributing to Sustainable Construction. Guidance for North of Scotland</p>
<p>OTHER</p> <p>Existing redundant or derelict buildings on site are converted or restored where possible. If not justification should be provided.</p> <p>Avoid unnecessary disturbance to peat, soils and vegetation.</p>	<p>Maximise the use of materials derived from recycled materials and reused content in products and materials used.</p> <p>Certification of products (i.e. timber certified by the Forest Stewardship Council FSC)</p>	<p>Policy ER7 – Soil Resources</p>

Evidence

- Waste:** Sufficient space is made available to store the bins required for Local Authority collection. During the construction phase materials will be ordered correct quantities to reduce waste. Any waste that cannot be recycled on site will be recycled and processed locally.
- Water:** Water efficiency measures including dual flush toilets and flow reducing/aerated taps are being installed.
- Materials:** Wood cladding is proposed and this is Scottish larch that is FSC certified.
- Other:** The disturbance of soil is being kept to a minimum. Soil excavated during construction process will be reuse around the site for landscaping and green space in the centre of the development.

Climate Change Adaptation

Essential	Desirable	Policy Cross Reference
Designing buildings flexibly from the outset to accommodate a variety of possible future uses (i.e. lends itself to future extension, allows for homeworking).		

Evidence

There are rooms within the houses that can be used a home office and the bungalows have been designed to allow the roof space to be converted to living accommodation.

Surface Water Management and Flooding

Essential	Desirable	Policy Cross Reference
Development is avoided in areas that are vulnerable to flooding. Flood resilience measures are incorporated where required.	Creation ponds and wetlands within developments.	EP5 – Surface water Drainage: Sustainable Urban Drainage Systems (SUDS).
Avoid the use of large areas of impermeable hard standing.		EP7 – Control of Development in Flood Risk Areas
Integration of design and SUDS into the development.		

Evidence

A drainage impact assessment has been submitted and SUDS designed as part of this area of hard standing and other impermeable surfaces have been minimised. There is a low probability of flooding as the site is not located within an area of flood risk as identified in the SEPA flood maps.

Sustainability Checklist 50 House Example

Site Layout and Design		
Essential	Desirable	Policy Cross Reference
<p>Minimise energy demand through orientation and passive solar gain</p> <p>Maximise the thermal performance of the building. For example through the use of insulation, thermal mass, shelter and glazing</p> <p>Installation of efficient heating and lighting systems and controls to lower energy consumption.</p> <p>Utilisation of natural or mechanical ventilation.</p>	<p>Heat recovery.</p>	
<div> <div>Evidence</div> <p>This is a brownfield site with buildings to sill height in place the full extent of which is unknown. The reuse of brownfield land as opposed to greenfield is inherently more sustainable.</p> <p>The houses have been designed and orientated to maximise passive solar gain and the main living rooms (living room, kitchen and dining rooms) are south facing where feasible. This orientation will reduce energy consumption by maximising natural daylight into rooms and reducing lighting requirements.</p> <p>The benefits of the passive solar gain combined with insulation exceeding the minimum building standards should have a positive impact on energy requirements for heating.</p> </div>		

Renewables

Essential	Desirable	Policy Cross Reference
Low and zero carbon equipment is installed to meet targets set out within policy ER2 – Carbon Emission Reductions	<p>The target for carbon emission reduction through low and zero carbon equipment is exceeded.</p> <p>Decentralised community renewable energy proposals are taken forward (i.e. district heating systems).</p>	ER2 – Carbon Emission Reductions

Evidence

In complying with the carbon reduction policy all properties have solar thermal for hot water heating or solar PV for electricity creation. There are also properties where air source heat pumps will be installed this means that the carbon emission abatement for the development exceeds the specified % emission reduction. The energy statement is a separate document.

Green Infrastructure

Essential	Desirable	Policy Cross Reference
<p>Open Space is provided to the standards set out in Policy E5 – Open Spaces.</p> <p>Proposals contribute to biodiversity on the site through habitat creation, new native tree and shrub planting.</p> <p>Existing trees and green spaces on site are retained and any trees lost are replaced.</p> <p>Where possible connection to offsite blue and green networks.</p>	<p>Creation of green spaces on roofs.</p> <p>Provide opportunities for food cultivation i.e. allotments/ community orchards</p>	<p>Policy E5 – Open Spaces</p> <p>Future SPG on Open Space</p> <p>Policy E4 – Trees and Development</p> <p>Trees and Development SPG</p> <p>ER3 – Development in Woodlands</p>

Evidence

The landscaping for the development connects the existing green spaces within the development to those outside the site boundary. This creates habitats corridors and contributes to enhancing biodiversity. The structural landscaping proposed creates a settlement edge and the community woodland of native species provides an area for recreational use. The landscaping has been enhance the setting of the watercourse and proposed SUDs system.

Active Travel

Essential	Desirable	Policy Cross Reference
<p>Explain what has been done to minimise car use. (The practicality of use of public transport in more remote rural areas will be taken into account however applicants should consider innovative solutions to access public transport).</p> <p>Provide safe off road routes linking to existing walking and cycling networks (i.e. connectivity to core paths network).</p>	<p>Design in facilities for bicycles and electric vehicles including secure bike parking and electric charging points.</p>	<p>Policy T2 - Provision of Access</p>

Evidence

Pedestrian and cyclist links are being created that connect into existing provision. The site is on the edge of the settlement and is within 5 minutes walking distance of existing public transport provision and services. In addition to connectivity to existing infrastructure additional paths are provided to the community woodland allow access and for this to be utilised by the community.

Resource Efficiency

Essential	Desirable	Policy Cross Reference
<p>WATER</p> <p>Minimising water consumption and maximising water recycling (i.e. water efficient appliances)</p>	<p>Greywater harvesting, green roofs and roof gardens</p>	
<p>WASTE</p> <p>Minimising waste and promote recycling, during construction. Large scale applications should provide site waste management plans.</p> <p>Identification of suitable space for storage of waste and recyclables on site once buildings are occupied.</p>		<p>EP2 – Recycling Facilities</p>

Essential	Desirable	Policy Cross Reference
<p>MATERIALS</p> <p>Use sustainable materials whenever possible and make the most sustainable use of other materials.</p> <p>Reuse materials from derelict buildings such as stone and slate within development.</p>	<p>Use locally sourced materials to minimise environmental cost of transportation and bring benefit to the local economy</p> <p>Maximise the use of materials derived from recycled materials and reused content in products and materials used.</p> <p>Certification of products (i.e. timber certified by the Forest Stewardship Council FSC)</p>	<p>Using Local Timber – Contributing to Sustainable Construction. Guidance for North of Scotland</p>
<p>OTHER</p> <p>Existing redundant or derelict buildings on site are converted or restored where possible. If not justification should be provided.</p> <p>Avoid unnecessary disturbance to peat, soils and vegetation.</p>	<p>Assembly components off site</p>	<p>Policy ER7 – Soil Resources</p>

Evidence

Water – All the appliances within the development are water efficient with push taps and aerating taps and dual flush toilets.

Waste – Salvaged materials from the remains buildings has been reused where possible and recyclable materials reprocessed locally. A site waste management plan has been prepared and

Materials – Local sandstone has been sourced locally to reduce transportation emissions. All windows and doors are FSC durable timber as opposed to UPVC. Scottish larch will be used for the external cladding of the houses.

Other – The existing derelict buildings on site are beyond repair and reinstatement, stone from the buildings will be used to create a stone dyke entrance gateway to the development. Offsite assembly has been investigated but does not form part of this proposal. There is no peat present on site and no requirement to excavate large volumes of soil during the construction process. Soil that is surplus to requirements will be utilised as part of landscaping for the site.

Climate Change Adaptation

Essential	Desirable	Policy Cross Reference
Designing buildings flexibly from the outset to accommodate a variety of possible future uses (i.e. lends itself to future extension, allows for homeworking).		

Evidence

The large area of green space within the development is multifunctional and as well as acting a playing field/village green it has been designed with storage capacity for water in the event of extreme weather.

The single storey properties within the development have been designed will be constructed to allow extension into the roof space so additional accommodation can be created without increasing the footprint of the building. The houses have been designed to allow bedrooms and dining rooms to also function as a study and appropriate IT infrastructure has been put in place to facilitate this.

Surface Water Management and Flooding

Essential	Desirable	Policy Cross Reference
Development is avoided in areas that are vulnerable to flooding. Flood resilience measures are incorporated where required.	Creation ponds and wetlands within developments.	EP5 – Surface water Drainage: Sustainable Urban Drainage Systems (SUDS).
Avoid the use of large areas of impermeable hard standing.		EP7 – Control of Development in Flood Risk Areas
Integration of design and SUDS into the development.		

Evidence

The SUDS system was a consideration in the early stages of design. The existing watercourse has been incorporated into the development and the water environment has been improved and with the opening up the culverted watercourse.



Designed and produced by Development Plans, Environmental Services
2014 © The Moray Council
www.moray.gov.uk